

A floor for any occasion

Easy to install and incredibly quiet.



Laminate Simply

RO EFloors – Better



Welcome to **HARO**

Our family business has a tradition in wood processing in Rosenheim, Bavaria, that goes back 150 years. With our love for natural wood and our high quality standards combined with modern design, we have evolved into Germany's leading flooring manufacturer.

Thinking in generations with a long-term orientation is the foundation of our daily activities – and this is what is at the heart of our products. The development and manufacturing of sustainable products are just as natural for us as a high degree of innovation and modern design. This applies to our diverse parquet floor range as well as to our laminate floors and design floors, which are free from PVC and plasticisers. We offer just the right floor for any requirement.

We are delighted to inspire you with our passion for naturally beautiful flooring – enjoy choosing your new floor!

With kind regards

Peter Hamberger

Peter Hamberger Teler Hamberger Dr. Peter M. Hamberger




Table of Contents

08

Our Values

10

HARO Laminate Floors

- 10 Special Features
- 12 Product Highlights
- 14 Range Overview
- 16 Moisture Protection

18

HARO Room Visualizer

20

TRITTY 200 Aqua



28TRITTY 100



38 TRITTY 90



4.4Special edition NKL 31



50

HARO Accessories


- 52 Skirtings/ Insulation underlays/ Mouldings/Stair nosings
- 53 clean&green Care Series

54

Certification

Natural beauty is not a matter of chance

HARO stands for natural beauty. Over the decades, we have learned to understand what makes a truly beautiful floor. This knowledge and our enthusiasm for the unique beauty of wood inspire us every day. And you will feel it in every single one of our Laminate Floors. They are made of 80% wood, and the grain and texture are authentically modelled on real wood. This makes the natural quality of the floor visible and tangible. The big advantage: Thanks to the innovative developments, HARO Laminate Floors are more durable and easy to clean, and are even suitable for use in rooms subject to splashes and spills



Sustainable quality 'Made in Germany'

As a family business, we think ahead and approach what we do in a considered and sustainable manner. For us, this includes the careful use of all resources. For instance, we only use wood from our own and from certified forestry. This ensures that the amount of wood taken from the forests never exceeds the amount that can grow back again. And thanks to our biomass power plants and our hydroelectric power plant that uses the power of the Sims river, we are self-sufficient in energy – and in addition to our production, we can we can even supply 8000 households with electricity.

Integral parts of our company's philosophy are also our commitment to Rosenheim as our headquarters and the fact that our products are 'Made in Germany'. This becomes evident in the choice of our brand name, which is short for Hamberger Rosenheim. It is here that we cultivate and advance our unique expertise that has made us a leading and highly respected supplier on the world market. Each and every of HARO's products is of a guaranteed high quality, and will give you many years of pleasure – this is what we are committed to day after day. This striving for the highest standard is particularly well demonstrated by the fact that our laminate floors are extraordinarily resistant to scratching, abrasion, pressure and impact.

Values speak louder than words

Values are more than just words: They shape our thoughts and actions – every single day.



Committed to sustainability

The more than 150-year history of our family business is characterised by sustainable thinking and action. We are aware of our responsibility and embrace it with enthusiasm and commitment – for society, for the environment, for people.



Natural and healthy living

Not only are HARO floors beautiful to look at and to touch, they are also free from any harmful substances. For this, HARO was awarded the 'Blue Angel' quality label. This means that you can rest assured that our floors contribute to a high standard of healthy living and a pleasant ambience in the home.



Guaranteed high quality

We know what it takes to produce naturally beautiful, high-quality floors. We put this knowledge into practice with great care – in every single floorboard, right down to the last detail. This is something we are proud of, and we prove it with the best quality.




Made with passion

HARO is passion for natural beauty. We love processing and refining natural materials. Every single day, we use all our expertise and experience to ensure that you can feel the perfection of nature in our floors.



Made in Germany

As Germany's leading parquet manufacturer, we combine traditional craftsmanship with new technology in Rosenheim. This makes it possible for us to produce floor coverings of the highest quality. For more comfort when it comes to installation and maintenance, and for long-lasting pleasure in living, working and living.



Areas of use

Recommended

No matter what your requirements are, at HARO you will find just the laminate floor you are looking for – and always of a quality that meets the highest standards. Here you can see at a glance which series best suits your requirements.

TRITTY 200 Aqua TRITTY 100 TRITTY 90 Special edition NKL31 For high-traffic residential For residential applications For residential applications For residential applications and commercial applications with high traffic and with high traffic and with high traffic and commercial applications commercial applications commercial applications with medium traffic with medium traffic with low traffic Bedroom **APPLICATIONS** RESIDENTIAL Children's room Dining room Living room Hallway Kitchen Office **APPLICATIONS** COMMERCIAL Hotel room Conference room Doctor's practice Reception area Showroom





Incredibly quiet


With HARO Tritty Silent CT, we have invented the world's quietest laminate floor – room sound is reduced by 60% compared to conventional laminate floors. True living comfort that makes HARO TRITTY Silent CT the perfect choice for rooms that are used intensively for living and playing. such as living rooms or children's rooms. The Silent CT technology is available for all TRITTY series, except for the NKL 31 special edition.







Top Connect – the easiest method of installation

Thanks to the innovative TopConnect installation system, you can easily and quickly install our laminate floors yourself – and remove them just as easily when you move home. No tools are necessary. Simply angle in the floorboard, push it against the previously laid board and press it down. Done! Installation is quick and your floor will be dimensionally stable and fit accurately. Also, it can be installed on underfloor heating and cooling systems. We always have the matching accessories for your HARO Laminate Floor. You can find out more about insulation underlays, skirtings and mouldings on page 56.











You can
find detailed
installation
instructions on
HARO.com

Surfaces with character

The surface treatment protects and refines the laminate floor. To give the individual appearance of each board its final touch, HARO's designers first choose the style. Only then do they decide which type of finish best suits the look of the floorboard.



PoresSlightly pore-textured and silky shine finish.



Pores mattSlight pore texture and natural matt look.



Textured mattSimilar to real wood grain. The matt appearance underlines the natural look.



Soft mattNoticeably velvety-soft and naturally matt with a slight gloss effect in the texture.



Authentic
The texture and style are practically indistinguishable from real wood.
The gloss level emphasises the character and natural look of the wood reproduction.



Authentic matt
The texture and style are practically indistinguishable from real wood.
The surface has a natural oil character and Plank 1-Strip also has a slight gloss effect in the pores.



Authentic soft
The texture and style are practically indistinguishable from real wood.
The surface feels velvety and soft.



Bevelled edges on the long and short sides To create an even more vivid impression, the edges on the long sides and ends are bevelled.

Perfect throughout the home

HARO Laminate Floors are ideal for all rooms. Whether it is surface aesthetics, installation height, maximum weight capacity or the application area – with four different series, we meet all needs.

TRITTY 200 Aqua – The Hard-wearing Floor

Thanks to the high level of use and its excellent resistance to abrasion, this floor is ideally suited for more heavily used living areas such as hallways and kitchens, and even for commercial applications. The extra moisture protection also makes TRITTY 200 Aqua the right choice for the bathroom.

Level of use 23/33

TRITTY 100 – The Tough One

The tough laminate floor with the huge selection that has everything you are looking for. The Silent CT technology even makes the TRITTY 100 Series the world's quietest laminate floor.

Level of use 23/32

TRITTY 90 – The Trendy One

Modern styles, robust construction and the new soft matt surface: the TRITTY 90 Series gives rooms a fresh and trendy look.

Level of use 23/32

Special edition NKL 31 – The Starter Model

Top quality at an excellent price: The HARO Special Edition NKL 31 is the ideal entry-level laminate floor for young living and your first own flat.

Level of use 23/31

Formats



Gran Via 4VDimensions: 243 x 2200 mm

Dimensions: 243 x 2200 mm (9 9/16" x 86 5/8") 8 mm (5/16") thick

Plank 1-Strip 4V

Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32") 8 mm (5/16") thick





Gran Via 4V

Dimensions: 243 x 2200 mm (9 9/16" x 86 5/8") 8 mm (5/16") thick

Plank 1-Strip 4V

Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32") 8 mm (5/16") thick

Campus 4V

Dimensions: 243 x 2200 mm (9 9/16" x 86 5/8") 8 mm (5/16") thick

Loft 4V

Dimensions: 135 x 1282 mm (5 5/16" x 50 15/32") 8 mm (5/16") thick




Plank 1-Strip 4V, Plank 1-Strip, 3-Strip

Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32") 7 mm (9/32") thick



Plank 1-Strip, 2-Strip, 3-Strip Dimensions: 193 x 1282 mm

(7 19/32" x 50 15/32") 7 mm (9/32") thick



1 | 3-Strip - Dynamic

- Three parallel strips create a vibrant look
- Classic styles
- Gives large areas a clear structure
- Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")

2 | 2-Strip - Distinctive

- Two parallel strips per board element
- Gives rooms a distinctive character
- Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")

3 | Plank 1-Strip - Classic

- Almost indistinguishable from real parquet
- Modern-classic board aesthetics
- Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")

4 | Loft 4V - Slim


- Looks particularly elegant in smaller rooms
- Bevelled edges on four sides to give the floor visual structure
- Dimensions: 135 x 1282 mm (5 5/16" x 50 15/32")

5 | Campus 4V – Trendy

- Classic board length with a generous width
- Gives even vibrant styles a harmonious look across the whole surface
- Dimensions: 243 x 1282 mm (9 9/16" x 50 15/32")

6 | Gran Via 4V - Gigantic

- Gives rooms a more spacious appearance
- The board has an authentic character thanks to the format and the bevelled edges on all four sides
- Dimensions: 243 x 2200 mm (9 9/16" x 86 5/8")



A highly water resistant solution

HARO Laminate Floors are suitable for any room – even if it gets exposed to spills. Thanks to the aquaTec system, you can rest assured that they will always remain dimensionally stable. Additional safety is provided by the new TRITTY 200 Aqua Series, which is even resistant to standing tap water for up to 24 hours.





aquaTec – double TRITTY 200 moisture protection even better

TRITTY 200 Aqua – even better moisture protection

Their well-balanced multilayer construction ensures that HARO Laminate Floors remain stable at all times. And they will always stay in good shape. This is ensured by the special aquaTec system, which combines the moisture-control aquaResist HDF coreboard with a specially impregnated surface protection layer (overlay and decorative layer).

With the aquaReject moisture-control coreboard, TRITTY 200 Aqua is optimally protected against moisture and is also approved for installation in rooms (Wo-1 in accordance with DIN 18534), such as domestic bathrooms or kitchens. Due to its special impregnation and the highest degree of resistance against swelling, TRITTY 200 Aqua can withstand standing tap water for up to 24 hours. With its special aquaReject coreboard TRITTY 200 Aqua is also suitable for damp rooms.

Easy to clean and maintain

HARO Laminate Floors are extremely easy to care for and remain timelessly beautiful. Dry cleaning with a vacuum cleaner or a broom is all that is necessary. Simply sweep or vacuum the floor and, if necessary, wipe the floor with a damp cloth using the environmentally friendly cleaning agent 'clean & green active', which is specifically designed for HARO Laminate Floors.




Bring your favourite floor into your home. Right now.

Almost as exciting as a test drive, but certainly less complicated. With the HARO Room Visualizer, you can install your favourite HARO Laminate Floor in your own four walls – easily, virtually, and without obligation.

Does your dream floor match your beloved couch or the colour of the newly painted kitchen backsplash? Which board format and colour will make your home office look particularly spacious? Virtually install your favourite laminate floor with the HARO Room Visualizer – with just one click. Simply visit haro.com/roomvisualizer and get started.

And this is how it works:

- 1. Visit haro.com/roomvisualizer
- **2.** Take a photo of your room or upload an existing photo
- 3. Select your desired laminate floor
- 4. Admire how good your favourite laminate floor looks in your home.



TRITY200 Aqua

The hard-wearing laminate floor with extra moisture protection

- Suitable for areas with spills and splashes
- Double moisture protection due to the aquaTec system
- With the level of use 33, the highest abrasion class AC 6 and a thickness of 8 mm (5/16") it is particularly hard-wearing and abrasion-resistant
- Incredibly fast and easy to install thanks to TopConnect
- Available with Silent Pro (luxury insulation layer) or Silent CT (the world's quietest laminate floor)
- Suitable for use with underfloor heating and cooling









HARO Laminate Floor TRITTY 200 Aqua Plank 1-Strip 4V Oak Contura Black authentic (wood reproduction)

> HARO Laminate Floor TRITTY 200 Aqua Plank 1-Strip 4V Oak Eleganza Creme White authentic (wood reproduction)







HARO Laminate Floor TRITTY 200 Aqua Gran Via 4V Oak Portland Puro authentic (wood reproduction)

This could be your TRITTY 200 Aqua floor. Test the look with our HARO Room Visualizer!









HARO Laminate Floor TRITTY 200 Aqua Plank 1-Strip 4V Oak Eleganza Smoked authentic (wood reproduction)





HARO Laminate Floor TRITTY 200 Aqua Gran Via 4V Oak Eleganza Nature authentic (wood reproduction)

TRITTY 200 Aqua Technology and range



Gran Via 4V, Plank 1-Strip 4V

The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate and sheets of kraft paper, specially mpregnated

The softwood coreboard ensures maximum dimensional stability and protection from moisture. Special moisture-control HDF E1 coreboard aquaResist

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection. Several sheets of balancing laminate (moisture repellent)

Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)





Gran Via 4V / Plank 1-Strip 4V

White Nature Light Nature Medium Nature Dark a soft a soft **OAK ELEGANZA OAK EMILIA PURO* OAK EMILIA HONEY* OAK EMILIA AMBER* CREME WHITE*** Plank 1-Strip 4V ID no. 540 243 Plank 1-Strip 4V ID no. 540 242 Plank 1-Strip 4V ID no. 540 241 Gran Via 4V ID NO. 540 270 Plank 1-Strip 4V ID no. 541 559 Gran Via 4V ID NO. 540 269

ã m

Gran Via 4V ID NO. 541 584

OAK SICILIA WHITE* Plank 1-Strip 4V ID no. 537 368 Gran Via 4V ID NO. 537 374



OAK VENETO CREMA* Plank 1-Strip 4V ID no. 541 560 Gran Via 4V ID NO. 541 585

OAK SICILIA NATURE* Plank 1-Strip 4V ID no. 537 371 Gran Via 4V ID NO. 537 377

ã m



OAK SICILIA PURO* Plank 1-Strip 4V ID no. 537 370 Gran Via 4V ID NO. 537 376



OAK PORTLAND PURO* Plank 1-Strip 4V ID no. 539 146 Gran Via 4V ID NO. 539 148



OAK ELEGANZA PURO* Plank 1-Strip 4V ID no. 541 558 Gran Via 4V ID NO. 541 583

OAK PORTLAND NATURE* Plank 1-Strip 4V ID no. 540 245 Gran Via 4V ID NO. 540 272



OAK VENETO NATURE* Plank 1-Strip 4V ID no. 540 246 Gran Via 4V ID NO. 540 273



OAK ELEGANZA NATURE* Plank 1-Strip 4V ID no. 541 557 Gran Via 4V ID NO. 541 582

Gran Via 4V ID NO. 540 268



OAK CONTURA SMOKED* Plank 1-Strip 4V ID no. 540 240 Gran Via 4V ID NO. 540 267



OAK CONTURA BLACK* Plank 1-Strip 4V ID no. 541 554 Gran Via 4V ID NO. 541 579



OAK ELEGANZA SMOKED* Plank 1-Strip 4V ID no. 542 056 Gran Via 4V ID NO. 542 059



OAK ELEGANZA NUTMEG* Plank 1-Strip 4V ID no. 541 556 Gran Via 4V ID NO. 541 581

OAK EMILIA VELVET GREY*

Grey

Plank 1-Strip 4V ID no. 540 244 Gran Via 4V ID NO. 540 271




OAK VENETO MOCCA* Plank 1-Strip 4V ID no. 537 373 Gran Via 4V ID NO. 537 379



OAK CONTURA STONE GREY* Plank 1-Strip 4V ID no. 540 239 Gran Via 4V ID NO. 540 266



OAK BERGAMO SILVER GREY* Plank 1-Strip 4V ID no. 541 553 Gran Via 4V ID NO. 541 578



OAK ELEGANZA ANTIQUE GREY* Plank 1-Strip 4V ID no. 541 555 Gran Via 4V ID NO. 541 580

Level of Use:	23/33
Abrasion class:	AC6
Impact class:	IC ₃
Scratch resistance:	Grade 5
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	25 years in residential applications, 10 years in commercial applications
Dimensions***:	Plank 1-Strip 4V: 8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32"), with Silent Pro luxury insulation layer or Silent CT: 2 mm (3/32") higher
	Gran Via 4V: 8 x 243 x 2200 mm (5/16" x 9 9/16" x 86 5/8") with Silent Pro luxury insulation layer or Silent CT: 2 mm (3/32" higher)
Indoor sound improvement with Silent CT:	60 %**
Footfall sound improvement with Silent CT:	14 dB
Indoor sound improvement with Silent Pro luxury insulation layer:	approx. 30 %**
Footfall sound improvement with Silent Pro luxury insulation layer:	18 dB

^{*} Wood reproduction

^{**} Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)


^{***} Thickness x Width x Length

TRITTY 100

The tough laminate floor with the huge selection

- Particularly durable with a thickness of 8 mm (5/16") and the level of use 32
- Available with Silent Pro (luxury insulation layer) or Silent CT (the world's quietest laminate floor)
- Suitable for use with underfloor heating and cooling
- Double moisture protection due to aquaTec system







HARO Laminate Floor TRITTY100 Plank 1-Strip 4V Oak Emilia White authentic soft (wood reproduction)





HARO Laminate Floor TRITTY 100 Plank 1-Strip 4V Oak Portland Grey authentic (wood reproduction)





HARO Laminate Floor TRITTY 100 Loft 4V Oak Emilia Light Grey authentic soft (wood reproduction)

HARO Laminate Floor TRITTY 100 Campus 4V Oak Veneto Crema authentic matt (wood reproduction)






TRITTY 100
Gran Via 4V
Oak Emilia Amber authentic soft (wood reproduction)

This could be your TRITTY 100 floor. Test the look with our HARO Room Visualizer!









HARO Laminate Floor TRITTY 100 Plank 1-Strip 4V Oak Veneto Mocca authentic matt (wood reproduction)

TRITTY 100 Technology and range




The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate, with special impregnation.

The softwood coreboard ensures maximum dimensional stability and protection from moisture. Special moisture-control HDF E1 coreboard aquaResist.

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection.

Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)



Smart advice. Click here for online


product advice!

Campus 4V, Loft 4V






Gran Via 4V



ID no. 533 144


TRITTY 100 Technology and range

Plank 1-Strip 4V



Campus 4V





Level of Use:	23/32
Abrasion class:	AC4
Impact class:	IC2
Scratch resistance:	Grade 4
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	25 years in residential applications, 5 years in commercial applications
Dimensions***:	Plank 1-Strip/3-Strip: 8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32") / Loft 4V: 8 x 135 x 1282 mm (5/16" x 5 5/16" x 50 15/32") /
	Campus 4V: 8 x 243 x 1282 mm (5/16" x 9 9/16" x 50 15/32")/
	Gran Via 4V: 8 x 243 x 2200 mm (5/16" x 9 9/16" x 86 5/8") with Silent Pro luxury insulation layer or Silent CT: 2 mm (3/32" higher)
Indoor sound improvement with Silent CT:	approx. 30 %**
Footfall sound improvement with Silent CT:	18 dB
Indoor sound improvement with Silent Pro luxury insulation layer:	60 %**
Footfall sound improvement with Silent Pro luxury insulation layer:	14 dB

^{*} Wood reproduction


^{**} Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)


^{***} Thickness x Width x Length

TRITTY 90

Trendy floor design – beautiful and durable

- With a construction height of only 7 millimetres (9/32"), it is ideal for renovations
- High resistance thanks to level of use 32
- Available with Silent Pro (luxury insulation layer) or Silent CT (the world's quietest laminate floor)
- Suitable for use with underfloor heating and cooling
- Double moisture protection due to aquaTec system








HARO Laminate Floor TRITTY 90 Plank 1-Strip 4V Oak Savona White soft matt (wood reproduction)



HARO Laminate Floor TRITTY 90 Plank 1-Strip 4V Oak Smoked Heartwood soft matt (wood reproduction)



HARO Laminate Floor TRITTY 90 Plank 1-Strip 4V Oak Dolomiti soft matt (wood reproduction)



TRITTY 90 Technology and range



The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate, with special impregnation.

The softwood coreboard ensures maximum dimensional stability and protection from moisture. Special moisture-control HDF E1 coreboard aquaResist.

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection.

Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)

Plank 1-Strip,

Plank 1-Strip 4V,3-Strip





Plank 1-Strip, Plank 1-Strip 4V und 3-Strip

White	Nature Light	Nature Medium	Nature Dark	Grey
soft m	soft m	≈ a	soft m	a soft
OAK SAVONA WHITE* Plank 1-Strip 4V ID no. 538 648	DESIGN WOOD HARMONY* Plank 1-Strip 4V ID no. 535 237	OAK ITALICA CREME* Plank 1-Strip 4V ID no. 538 653	OAK LIVORNO SMOKED* Plank 1-Strip 4V ID no. 538 650	OAK EMILIA LIGHT GREY* Plank 1-Strip 4V ID no. 538 651
≈ a	æ a m	s m	s m	soft m
SCANDINAVIAN OAK* Plank 1-Strip 4V ID no. 535 235	HOLM OAK* 3-Strip ID no. 538 855	OAK VERANO* Plank 1-Strip 4V ID no. 538 655	SMOKED OAK* Plank 1-Strip 4V ID no. 538 656	OAK LIVORNO GREIGE * Plank 1-Strip 4V ID no. 538 652
a soft	soft m	soft m	s m	S M
OAK BERGAMO ANTIQUE WHITE* Plank 1-Strip 4V ID no. 538 646	OAK MELINA PURO* Plank 1-Strip 4V ID no. 535 238	OAK SAVONA NATURE* Plank 1-Strip 4V ID no. 538 649	ALABAMA OAK* Plank 1-Strip 4V ID no. 538 647	HIGHLAND OAK* Plank 1-Strip 4V ID no. 538 856
s m		soft m		~~~ s m

OAK DOLOMITI*		
Plank 1-Strip 4V ID no. 538 654		



<u>~~~</u> s m	S. W. P.

OAK CORONA* Plank 1-Strip 4V ID no. 538 645

Level of Use:	23/33
Abrasion class:	AC ₄
Impact class:	IC2
Scratch resistance:	Grade 4
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	20 years in residential applications, 5 years in commercial applications
Dimensions***:	7 x 193 x 1282 mm (9/32" x 7 19/32" x 50 15/32") with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Indoor sound improvement with Silent CT:	approx. 60 %**
Footfall sound improvement with Silent CT:	18 dB
Indoor sound improvement with Silent Pro luxury insulation layer:	60 %**
Footfall sound improvement with Silent Pro luxury insulation layer:	14 dB

 $[\]hbox{* Wood reproduction}\\$

 $^{^{\}star\star}$ Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)

^{***} Thickness x Width x Length

Special Edition NKL 31

The perfect starter floor

- With a construction height of only 7 millimetres (9/32"), it is ideal for renovations
- Suitable for use with underfloor heating and cooling
- For all residential applications



Plank 1-Strip, 3-Strip, 2-Strip






HARO Laminate Floor Special edition NKL 31 2-Strip Graphite Oak soft matt (wood reproduction)





HARO Laminate Floor Special edition NKL 31 3-Strip Maple Akzent pores (wood reproduction)



HARO Laminate Floor Special edition NKL 31 3-Strip Walnut Ambiente pores (wood reproduction)







This could be your NKL 31 floor. Test the look with our HARO Room Visualizer!

Special edition NKL31 Technology and range



193 mm (7 19/32")
(78/51 05) mm 7821

Plank 1-Strip, 3-Strip, 2-Strip

The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate, with special impregnation.

The softwood coreboard ensures maximum dimensional stability and protection from moisture. Special moisture-control HDF E1 coreboard aquaResist.

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection.

Optionally available with integrated Silent Pro luxury insulation layer (suitable for use with underfloor heating)





Plank 1-Strip, 3-Strip, 2-Strip



Level of Use:	23/31
Abrasion class:	AC3
Impact class:	IC1
Scratch resistance:	Grade 3
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	15 years in residential applications
Dimensions***:	7 x 193 x 1282 mm (9/32" x 7 19/32" x 50 15/32") with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Indoor sound improvement with Silent CT:	approx. 30 %**
Footfall sound improvement with Silent CT:	18 dB
Indoor sound improvement with Silent Pro luxury insulation layer:	-
Footfall sound improvement with Silent Pro luxury insulation layer:	-

^{*} Wood reproduction

 $^{^{\}star\star}$ Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)

^{***} Thickness x Width x Length

HARO Accessories

Always a perfect match.

From skirtings to insulation underlays: HARO offers a wide range of matching accessories for your laminate floor. Manufactured in the same quality and perfectly matched to the look and characteristics of your parquet floor – for a better feeling when restyling your home.







Guaranteed to fit: HARO Accessories for Laminate Floors

When you choose HARO, you get more than just a floor. HARO offers perfectly harmonised accessories, cleaning and care products, and replacement parts – not just for today and tomorrow, but for the entire lifetime of your floor. After all, as a fifth-generation family business, we are well aware of the importance of continuity and reliability – for the availability of our products as well as the relationship with our valued dealers and installation partners.



Skirtings

Matching or with a contrast? Skirtings enable transitions between the floor and the wall that are visually and functionally attuned to your desired floor. Naturally, they are also available in water-resistant versions.



Insulation underlays

Whether with or without underfloor heating: different insulation underlays guarantee the perfect underlay for every room and every floor.





Transition mouldings

With the matching transition mouldings, you can harmoniously combine different flooring variants or even different floor coverings. Thanks to their design, the transition mouldings can also balance out different height levels.



Stair nosings

With stair nosings, the room and staircase become an aesthetic unit. This makes open room concepts appear particularly elegant and harmonious.



clean & green, perfect care for laminate floors

We always offer the right cleaning product so that you can keep your floor clean easily and gently. You will be amazed at how little of the care product you need.



clean & green active

For the basic cleaning of worn surfaces in intensively used living areas. For cleaning the floor before treatment with aqua shield.



clean & green natural

For easy, effective cleaning and care of living areas with a normal amount of wear and tear.



clean & green aqua shield

For long-term refurbishing and maintenance of your HARO Laminate Floor.

HARO Laminate Floors will convince you. Guaranteed.

Every day, our employees put great expertise, experience and passion into their work. That is why we are certain that product from HARO will convince with its outstanding quality. We emphasise this with our warrantees of 20 and 25 years, which is up to twice as long as those of other manufacturers.

The fact that quality is a top priority at HARO is proven by numerous certificates from internationally recognised institutions. As a member of important industry organisations and associations, we are also committed to quality, transparency and sustainability that reach beyond our company.

HARO warranty (up to 25 years)



In addition to the statutory warranty terms, HARO also provides additional warranties for various product groups. Please note the respective warranty conditions.

Certificates



The Blue Angel certifies the environmental compatibility of our products: blauer-engel.de/uz156

Made in Germany



Our quality floors are of the highest-quality German workmanship.

Memberships



Since 2004 we have been PEFC certified. This means we can assure you that the wood we process comes from sustainably managed forests.

We are a member of the Verband der Deutschen

Parkettindustrie e.V. (Association of the German Parquet Industry) and of the FEP, the European Federation of the

ISO Certificates



HARO's energy management is certified according to ISO 50001: 2013.



14001

DIN EN ISO 14001: 2004 stands for active environmental management. We have been a holder of the Bavarian Quality Award since 1998, and of the PEFC seal since 2002.



Since 1995, we have been certified according to DIN EN ISO 9001:2008. This ensures consistent product quality.





The CE label stands for compliance with all European safety and health directives.

An excellent choice.

Whichever floor you choose: your HARO Laminate Floor will be a delight. Together with your specialist dealer, you have selected this floor/these floors:

The product numbers of your favourites		
Your notes		
Tour Hotes		





You haven't been to a dealer yet? Find one near you now.

HARO











Hamberger Flooring GmbH&Co.KG
Postfach 10 03 53 | 83003 Rosenheim | Germany
T + 49 8031 700-0 | F + 49 8031 700-600

Naturally healthy living

Guaranteed

Made with

Made in